


(12) UK Patent Application (19) GB (11) 2 084 861 A

- (21) Application No 8128073
(22) Date of filing
17 Sep 1981
(30) Priority data
(31) 8020465
(32) 24 Sep 1980
(33) France (FR)
(43) Application published
21 Apr 1982
(51) INT CL³ A41D 11/00
(52) Domestic classification
A3V 1A6B
(56) Documents cited
GB 794451
GB 624267
(58) Field of search
A3V
(71) Applicant
Gillian Merlet (nee
MacMillan)
9 Rue Mathurin Regnier
Paris 15 eme
France
(72) Inventor
Gillian Merlet (nee
MacMillan)
(74) Agents
Raworth Moss & Cook
36 Sydenham Road
Croydon
Surrey
CR0 2EF

(54) Protective cover for babies
carried in a baby carrier

(57) Protective cover for babies,
mainly used for protecting a baby
carried in a baby carrier 7 said
cover comprising an envelope 1,
made of supply, impermeable material,
forming a shell for protecting
the baby's body, said envelope being
extended by a hood, 4, covering
the baby's head and, on the
edge of the envelope, tapes 5, 6
for attaching the cover to the baby
carrier or to the person carrying the
baby.



GB 2084861 A

VI

Fig.1




Fig.2





Fig.3



SPECIFICATION

Protective cover for baby carried in a baby carrier

5

The present invention relates to a protective cover for babies, used mainly for protecting a baby carried in a baby carrier of the sling type.

10 The use of such baby carriers has considerably developed in recent years, the baby being carried either on the back or against the chest.

15 However, up to the present time, they have not been able to offer effective, suitable protection when climatic conditions vary, for example when leaving a relatively high inside temperature to face a relatively low outside temperature, rain, etc...

20 It is an object of the present invention to provide a cover of particularly simple design which can be quickly and easily positioned to give a baby in a baby carrier optimal protection.

25 To this end, this cover for protecting babies, mainly used for protecting a baby in a baby carrier, is characterised in that it comprises an envelope made of supple, impermeable material, forming a shell to protect the baby's
30 body, this envelope being extended by a hood covering its head and, on the edge of the envelope, tapes are provided for attaching the cover to the baby carrier or to the person carrying the baby.

35 The cover according to the invention offers the advantage that the tapes for attachment to the baby carrier or to the person carrying the baby may be tied and untied very easily, hence this cover is simple to position and
40 remove. Furthermore, due to its particular shape, the cover ensures perfect protection of all the baby's body and head.

The invention will be more readily understood on reading the following description
45 with reference to the accompanying drawings, in which:

Figure 1 is a perspective view of a protective cover for baby according to the invention.

50 *Figure 2* is a perspective view of a protective cover placed on a baby carrier against the chest.

Figure 3 is a rear view of the protective cover applied on the baby in its baby carrier.

Referring now to the drawings, the protective cover comprises an envelope 1 made of
55 supple, impermeable material, forming a shell for protecting the baby's body. This envelope 1 has an edge 2 constituted by a hem in which is housed a drawstring 3 or elastic.

60 This string enables the envelope 1 to be more or less tightly drawn so that it is adapted to the baby's size.

The envelope 1 is extended by a hood 4 adapted to protect the baby's head. This hood
65 4 is connected elastically to the envelope 1 at

neck level so as to be adaptable to any supple baby-carrier, this zone of connection being designated by reference 10 in the drawings.

The protective cover according to the invention also comprises two tapes 5 attached to the edge 2 on each side of the hood 4 and two other tapes 6 attached to the edge 2 at two opposite points between the hood 4 and the opposite end of the envelope 1. These
75 tapes 5 and 6 are used for attaching the protective cover and they each comprise one or two relatively short strands.

As shown in Fig. 2, the cover according to the invention offers effective protection for a
80 baby from inclement weather when the baby is being carried in a baby-carrier 7 which, in this particular case, is a ventral baby carrier. This baby carrier comprises upper straps 8 and lower straps 9 which pass around the
85 shoulders of the person carrying the baby. The two tapes 5, near the hood 4, are used to attach the protective cover to the upper straps 8, by knotting said tapes 5 around these straps, whilst tapes 6, located lower than the
90 tapes 5, attach the cover to the lower straps 9 by knotting their two strands around said straps.

It is seen from the foregoing that it is a simple matter to position the protective cover
95 since it suffices to cover the baby carried in the baby carrier with the protective cover, then to attach the cover to the straps 8 and 9 by tying the tapes 5 and 6.

According to a variant embodiment, the
100 cover may comprise tapes such as 5 and 6 of greater length, which may be tied around the neck and shoulders of the person carrying the baby. However, this solution is obviously not as convenient as attaching the tapes to the
105 straps 8 and 9 of the baby carrier.

The protective cover according to the invention may be used independently of the baby carrier, for transporting the baby whilst protecting it from the cold and rain. This cover
110 may be provided with closure means such as a zip fastener or a fastener of the "touch and close" type, so that the cover can be closed when used in this way.

115 CLAIMS

1. A protective cover for babies, used mainly for protecting a baby carried in a baby carrier of the sling type, wherein it comprises an envelope made of supple, impermeable
120 material forming a shell for protecting the baby's body, this envelope being extended by a hood covering its head, and, on the edge of the envelope, tapes for attaching the cover to the baby carrier or to the person carrying the
125 baby.

2. A protective cover as claimed in Claim 1, wherein it comprises two pairs of tapes, namely a first pair of tapes attached to the edge of the envelope on each side of the hood
130 and a second pair of tapes attached to the

edge at two opposite points between the hood and the opposite end of the envelope.

3. A protective cover as claimed in one of Claims 1 and 2, wherein the tapes are short and are adapted to be tied around the straps of the baby carrier.

4. A protective cover as claimed in Claim 1, wherein the tapes are sufficiently long to be tied behind the neck and around the shoulders of the person carrying the baby.

5. A protective cover as claimed in Claim 1, wherein it is provided with closure means such as a zip fastener or a fastener of the "touch and close" type.

6. A protective cover as claimed in Claim 1, wherein the hood is mounted elastically on the envelope.

7. Protective cover for babies, substantially as described hereinbefore and illustrated in the accompanying drawings.

Printed for Her Majesty's Stationery Office
by Burgess & Son (Abingdon) Ltd.—1982.
Published at The Patent Office, 25 Southampton Buildings,
London, WC2A 1AY, from which copies may be obtained.